```
$%^STN;HighlightOn=  ***;HighlightOff=***  ;
```

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

* * * * * * * * *   Welcome to STN International   * * * * * * * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	DEC 05	CASREACT(R) - Over 10 million reactions available
NEWS	4	DEC 14	2006 MeSH terms loaded in MEDLINE/LMEDLINE
NEWS	5	DEC 14	2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER
NEWS	6	DEC 14	CA/CAplus to be enhanced with updated IPC codes
NEWS	7	DEC 21	IPC search and display fields enhanced in CA/CAplus with the IPC reform
NEWS	8	DEC 23	New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/ USPAT2
NEWS	9	JAN 13	IPC 8 searching in IFIPAT, IFIUDB, and IFICDB
NEWS	10	JAN 13	New IPC 8 SEARCH, DISPLAY, and SELECT enhancements added to INPADOC
NEWS	11	JAN 17	Pre-1988 INPI data added to MARPAT
NEWS	12	JAN 17	IPC 8 in the WPI family of databases including WPIFV
NEWS	13	JAN 30	Saved answer limit increased
NEWS	14	JAN 31	Monthly current-awareness alert (SDI) frequency added to TULSA

```
   NEWS EXPRESS    JANUARY 03 CURRENT VERSION FOR WINDOWS IS V8.01,
                   CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
                   AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
                   V8.0 USERS CAN OBTAIN THE UPGRADE TO V8.01 AT
                   http://download.cas.org/express/v8.0-Discover/
```

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS INTER	General Internet Information
NEWS LOGIN	Welcome Banner and News Items
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN
NEWS WWW	CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

  * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 12:16:06 ON 15 FEB 2006

=> index all
FILE 'ENCOMPLIT2' ACCESS NOT AUTHORIZED
FILE 'ENCOMPPAT2' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

INDEX '1MOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA,
        ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE, BABS,
        BIBLIODATA, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, BLLDB,
        CABA, CAOLD, CAPLUS, CASREACT, CBNB, CEABA-VTB, ...'
ENTERED AT 12:16:24 ON 15 FEB 2006

138 FILES IN THE FILE LIST IN STNINDEX

```
Enter SET DETAIL ON to see search term postings or to view
search error messages that display as 0* with SET DETAIL OFF.

=> s ((raman) (8a) ((sequenc?) (8a) ("nucleic acid" DNA RNA polynucleotide oligonl
   16 FILES SEARCHED...
   20 FILES SEARCHED...
   24 FILES SEARCHED...
<------User Break------>
<------User Break------>


---Logging off of STN---


END

  Unable to generate the STN prompt.
  Exiting the script...

   45 FILES SEARCHED...
   60 FILES SEARCHED...

Connecting via Winsock to Dialog


Logging in to Dialog

Trying 31060000009998...Open

DIALOG INFORMATION SERVICES
PLEASE LOGON:
  * * * * * * *
?

Connecting via Winsock to STN




Welcome to STN International!  Enter x:x

LOGINID:SSPTASMB1637

PASSWORD:
  * * * * * RECONNECTED TO STN INTERNATIONAL * * * * * *
SESSION RESUMED IN STNINDEX
INDEX '1MOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA,
ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE, BABS, BIBLIODATA,
BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, BLLDB, CABA, CAOLD, CAPLUS,
CASREACT, CBNB, CEABA-VTB, CERAB, CHEMINFORMRX, CHEMSAFE, CIN, CIVILENG,
COMPENDEX, COMPUAB, COMPUSCIENCE, CONFSCI, COPPERLIT, CORROSION, CROPB, CROPU,
CSNB, DDFB, DDFU, DETHERM, DGENE, DISSABS, DKF, DPCI, DRUGB, DRUGU, ELCOM, EMA,
EMBAL, EMBASE, ENCOMPLIT, ENCOMPPAT, ENERGY, ENVIROENG, EPFULL, ESBIOBASE,
FOMAD, FORIS, FRANCEPAT, FRFULL, FROSTI, FSTA, GBFULL, GENBANK, GEOREF,
HEALSAFE, ICONDA, IFICLS, IFIPAT, IMSDRUGNEWS, INFODATA, INIS, INPADOC, INSPEC,
INSPHYS, INVESTEXT, IPA, ITRD, JAPIO, JICST-EPLUS, KOREAPAT, KOSMET, LIFESCI,
LISA, MATBUS, MECHENG, MEDLINE, METADEX, NAPRALERT, NIOSHTIC, NLDB, NTIS,
NUTRACEUT, OCEAN, PAPERCHEM2, PASCAL, PATDD, PATDPA, PATDPAFULL, PATDPASPC,
PCTFULL, PCTGEN, PHARMAML, PHIC, PHIN, PIRA, POLLUAB, PROMT, RAPRA, RSWB,
RUSSIAPAT, SCISEARCH, SOLIDSTATE, SOLIS, SYNTHLINE, TEMA, TEXTILETECH,
TOXCENTER, TRIBO, TULSA, TULSA2, UFORDAT, ULIDAT, USPATFULL, USPAT2, VETB, VETU,
WATER, WELDASEARCH, WPIDS, WPIFV, WPINDEX, WSCA, WTEXTILES'
AT 12:31:11 ON 15 FEB 2006
CHARGED TO COST=
COST IN U.S. DOLLARS                              SINCE FILE       TOTAL
                                                    ENTRY         SESSION
FULL ESTIMATED COST                                 8.54           8.75

=> file medline caplus biosis
COST IN U.S. DOLLARS                              SINCE FILE       TOTAL
                                                    ENTRY         SESSION
FULL ESTIMATED COST                                 8.54           8.75

FILE 'MEDLINE' ENTERED AT 12:31:21 ON 15 FEB 2006
```

```
=> s raman (8a) (sequenc? (8a) (DNA RNA genom? "nucleic acid" polynucleotide olig
   2 FILES SEARCHED...
L1              0 RAMAN (8A) (SEQUENC? (8A) (DNA RNA GENOM? "NUCLEIC ACID" POLYNUC
                  LEOTIDE OLIGONUCLEOTIDE))

=> s raman (8a) sequenc?
L2            279 RAMAN (8A) SEQUENC?

=> l2 and (DNA RNA genom? "nucleic acid" polynucleotide oligonucleotide)
L3              0 L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUCLEO
                  TIDE)

=> l2 and (DNA RNA genom? "nucleic acid" polynucleotide oligonucleotide nucleic)
L4              0 L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUCLEO
                  TIDE NUCLEIC)

=> s l2 and (DNA RNA genom? "nucleic acid" polynucleotide oligonucleotide nucleic
L5              0 L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUCLEO
                  TIDE NUCLEIC)

=> s l2 and (exonuclease)
L6              6 L2 AND (EXONUCLEASE)

=> d ti 1-6

L6    ANSWER 1 OF 6  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods and microfluidic apparatus for performing nucleic acid
        ***sequencing***   and detection using surface enhanced   ***Raman***
      spectroscopy

L6    ANSWER 2 OF 6  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods to increase nucleotide signals by Raman scattering

L6    ANSWER 3 OF 6  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods and device for DNA   ***sequencing***   using   ***Raman***
      spectroscopy

L6    ANSWER 4 OF 6  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods and device for DNA   ***sequencing***   using   ***Raman***
      spectroscopy

L6    ANSWER 5 OF 6  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods and device for nucleic acid   ***sequencing***   by detecting
        ***Raman***   labeled nucleotides cross-linked to silver or gold
      nanoparticles using Raman spectroscopy

L6    ANSWER 6 OF 6  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods for nucleic acid   ***sequencing***   by   ***Raman***
      monitoring

=> d scan 5
DISPLAY FORMATS NOT ALLOWED WITH SCAN IN A MULTIFILE ENVIRONMENT

=> d ab 5

L6    ANSWER 5 OF 6  CAPLUS  COPYRIGHT 2006 ACS on STN
AB    The methods and app. disclosed herein concern nucleic acid
        ***sequencing***   by enhanced   ***Raman***   spectroscopy. In certain
      embodiments of the invention, nucleotides are covalently attached to Raman
      labels before incorporation into a nucleic acid (13).   ***Exonuclease***
      (15) treatment of the labeled nucleic acid (13) results in the release of
      labeled nucleotides (16, 130), which are detected by Raman spectroscopy.
      In alternative embodiments of the invention, nucleotides released from a
      nucleic acid by   ***exonuclease***   treatment are covalently
```

cross-linked to silver or gold nanoparticles and detected by surface
enhanced Raman spectroscopy (SERS), surface enhanced resonance Raman
spectroscopy (SERRS) and/or coherent anti-Stokes Raman spectroscopy
(CARS).

```
=> d his

        (FILE 'HOME' ENTERED AT 12:16:06 ON 15 FEB 2006)

        INDEX '1MOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA,
        ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE, BABS,
        BIBLIODATA, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, BLLDB,
        CABA, CAOLD, CAPLUS, CASREACT, CBNB, CEABA-VTB, ...' ENTERED AT 12:16:24
        ON 15 FEB 2006
                    SEA ((RAMAN) (8A) ((SEQUENC?) (8A) ("NUCLEIC ACID" DNA RNA POLY
                    ---------

        FILE 'MEDLINE, CAPLUS, BIOSIS' ENTERED AT 12:31:21 ON 15 FEB 2006
L1            0 S RAMAN (8A) (SEQUENC? (8A) (DNA RNA GENOM? "NUCLEIC ACID" POLY
L2          279 S RAMAN (8A) SEQUENC?
L3            0 L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUCLE
L4            0 L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUCLE
L5            0 S L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUC
L6            6 S L2 AND (EXONUCLEASE)

=> s 12 and (exonuclease digest? degrad? remov? cut? cleav? nuclease hydroly?)
L7            0 L2 AND (EXONUCLEASE DIGEST? DEGRAD? REMOV? CUT? CLEAV? NUCLEASE
                  HYDROLY?)

=> s 12 and (exonuclease or digest? or degrad? or  remov? or  cut? or  cleav? or
L8           36 L2 AND (EXONUCLEASE OR DIGEST? OR DEGRAD? OR REMOV? OR CUT? OR
                  CLEAV? OR NUCLEASE OR HYDROLY?)

=> d ti 1-36

L8    ANSWER 1 OF 36      MEDLINE on STN
TI    Simple multiplex genotyping by surface-enhanced resonance Raman
      scattering.

L8    ANSWER 2 OF 36      MEDLINE on STN
TI    DNA topoisomerase I changes the mode of interaction between camptothecin
      drugs and DNA as probed by UV-resonance Raman spectroscopy.

L8    ANSWER 3 OF 36      MEDLINE on STN
TI      ***Sequence***    dependent DNA conformations:    ***Raman***
      spectroscopic studies and a model of action of restriction enzymes.

L8    ANSWER 4 OF 36  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods and microfluidic apparatus for performing nucleic acid
        ***sequencing***   and detection using surface enhanced   ***Raman***
      spectroscopy

L8    ANSWER 5 OF 36  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Nucleic acid   ***sequencing***   by   ***raman***   monitoring of uptake
      of nucleotides during molecular replication

L8    ANSWER 6 OF 36  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods to increase nucleotide signals by Raman scattering

L8    ANSWER 7 OF 36  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods and device for DNA   ***sequencing***   using   ***Raman***
      spectroscopy

L8    ANSWER 8 OF 36  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods and device for DNA   ***sequencing***   using   ***Raman***
      spectroscopy

L8    ANSWER 9 OF 36  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods and device for nucleic acid   ***sequencing***   by detecting
        ***Raman***   labeled nucleotides cross-linked to silver or gold
      nanoparticles using Raman spectroscopy

L8    ANSWER 10 OF 36  CAPLUS  COPYRIGHT 2006 ACS on STN
TI    Methods for nucleic acid   ***sequencing***   by   ***Raman***
```

monitoring

L8   ANSWER 11 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Simple Multiplex Genotyping by Surface-Enhanced Resonance Raman Scattering

L8   ANSWER 12 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Multiplex genotyping by SERRS using chemically modified oligonucleotides

L8   ANSWER 13 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Internal charge generation in polyvinylidene fluoride films during poling

L8   ANSWER 14 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Raman optical activity studies of the influence of water on structure and
dynamics of proteins, viruses and nucleic acids

L8   ANSWER 15 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Influence of thermal dehydrochlorination on the photooxidation kinetics of
PVC samples

L8   ANSWER 16 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Photo-induced bleaching and temporal stability of organic nonlinear
optical materials in Langmuir-Blodgett films

L8   ANSWER 17 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Combined Chemical and Raman Spectroscopic Determination of Microstructural
Arrangement in Poly(2,5-benzophenone)s

L8   ANSWER 18 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   The [Sn5]2- cluster compound [K-(2,2,2-crypt)]2Sn5. Synthesis, crystal
structure, Raman spectrum, and hierarchical relationship to CaIn2

L8   ANSWER 19 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Correlation between photo-induced bleaching and temporal stability on
optical nonlinear Langmuir-Blodgett films

L8   ANSWER 20 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Sequence-specific changes in the metal site of ferric bleomycin induced by
the binding of DNA

L8   ANSWER 21 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Molecular modeling of DNA using Raman and NMR data, and the
   nuclease   activity of 1,10-phenanthroline-copper ion

L8   ANSWER 22 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Detection of specific base sequences in DNA using probes bonded to noble
metals and Raman spectrometry

L8   ANSWER 23 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Surface-enhanced Raman spectroscopy as an in situ real-time probe of
catalytic mechanisms at high gas pressures: The NO-H2 reaction on rhodium

L8   ANSWER 24 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Waveguide resonance Raman spectroscopy of   ***degraded***   PVC

L8   ANSWER 25 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Considerations for Raman spectroscopic determination of polyene length
distribution in   ***degraded***   poly(vinyl chloride)

L8   ANSWER 26 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   ***Degradation***   of oriented poly(vinyl chloride) films in the
presence of metal chlorides

L8   ANSWER 27 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Formation of conjugated polyenes by chemical and thermal
   degradation   of vinyl chloride copolymers and other vinyl polymers

L8   ANSWER 28 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Resonance Raman spectrum of   ***degraded***   poly(vinyl chloride). 4.
Determination of conjugated polyene sequence lengths

L8   ANSWER 29 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Protein influences on porphyrin structure in cytochrome c

L8   ANSWER 30 OF 36   CAPLUS   COPYRIGHT 2006 ACS on STN
TI   Resonance Raman spectrum of   ***degraded***   poly(vinyl chloride). 3.

```
L8      ANSWER 31 OF 36  CAPLUS   COPYRIGHT 2006 ACS on STN
TI      Pulse sequenced CARS:  background suppression and nonlinear interferences

L8      ANSWER 32 OF 36  CAPLUS   COPYRIGHT 2006 ACS on STN
TI      Resonance Raman spectrum of thermally   ***degraded***   poly(vinyl
        chloride)

L8      ANSWER 33 OF 36  CAPLUS   COPYRIGHT 2006 ACS on STN
TI      Dimethylgold(III) halides and pseudohalides.  Reactions, Raman, infrared,
        and proton magnetic resonance spectra, and structure

L8      ANSWER 34 OF 36  BIOSIS   COPYRIGHT (c) 2006 The Thomson Corporation  on
        STN
TI      DNA topoisomerase I changes the mode of interaction between camptothecin
        drugs and DNA as probed by UV-resonance Raman spectroscopy.

L8      ANSWER 35 OF 36  BIOSIS   COPYRIGHT (c) 2006 The Thomson Corporation  on
        STN
TI      TYROSINE CODON CORRESPONDS TO TOPA QUINONE AT THE ACTIVE SITE OF COPPER
        AMINE OXIDASES.

L8      ANSWER 36 OF 36  BIOSIS   COPYRIGHT (c) 2006 The Thomson Corporation  on
        STN
TI      STRUCTURAL CHARACTERIZATION OF FIBROBLAST HUMAN INTERFERON-BETA-1.


=> s 12 and (DNA or  RNA or  genom? or  "nucleic acid" or  polynucleotide or  oli(
<------User Break------>

SEARCH ENDED BY USER
   2 FILES SEARCHED...

=> s 12 (8a) (DNA or  RNA or  genom? or  "nucleic acid" or  polynucleotide or  ol:
<------User Break------>

SEARCH ENDED BY USER
   2 FILES SEARCHED...

=> s 12 (5a) (DNA or "nucleic acid" or ?nucleotide?)
<------User Break------>

SEARCH ENDED BY USER
   2 FILES SEARCHED...

=> d his

        (FILE 'HOME' ENTERED AT 12:16:06 ON 15 FEB 2006)

        INDEX '1MOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA,
        ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE, BABS,
        BIBLIODATA, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, BLLDB,
        CABA, CAOLD, CAPLUS, CASREACT, CBNB, CEABA-VTB, ...' ENTERED AT 12:16:24
        ON 15 FEB 2006
                SEA ((RAMAN) (8A) ((SEQUENC?) (8A) ("NUCLEIC ACID" DNA RNA POLY
                ---------

        FILE 'MEDLINE, CAPLUS, BIOSIS' ENTERED AT 12:31:21 ON 15 FEB 2006
L1              0 S RAMAN (8A) (SEQUENC? (8A) (DNA RNA GENOM? "NUCLEIC ACID" POLY
L2            279 S RAMAN (8A) SEQUENC?
L3              0 L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUCLE
L4              0 L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUCLE
L5              0 S L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUC
L6              6 S L2 AND (EXONUCLEASE)
L7              0 S L2 AND (EXONUCLEASE DIGEST? DEGRAD? REMOV? CUT? CLEAV? NUCLEA
L8             36 S L2 AND (EXONUCLEASE OR DIGEST? OR DEGRAD? OR  REMOV? OR  CUT?
L***           12 S L2 AND (DNA OR  RNA OR  GENOM? OR  "NUCLEIC ACID" OR  POLYNUC
L***            7 S L2 (8A) (DNA OR  RNA OR  GENOM? OR  "NUCLEIC ACID" OR  POLYNU
L***            8 S L2 (5A) (DNA OR "NUCLEIC ACID" OR ?NUCLEOTIDE?)

=> d ab 8, 10-12

L8      ANSWER 8 OF 36  CAPLUS   COPYRIGHT 2006 ACS on STN
AB      The methods and app. disclosed herein concern nucleic acid
```

sequencing by enhanced ***Raman*** spectroscopy. In certain embodiments of the invention, ***exonuclease*** treatment of the nucleic acids 109 results in the release of nucleotides. The nucleotides may pass from a reaction chamber through a microfluidic channel and enter a nanochannel or microchannel. The nanochannel or microchannel may be packed with nanoparticle aggregates contg. hot spots for Raman detection. As the nucleotides pass through the nanoparticle hot spots, they may be detected by surface enhanced Raman spectroscopy (SERS), surface enhanced resonance Raman spectroscopy (SERRS) and/or coherent anti-Stokes Raman spectroscopy (CARS). Identification of the sequence of nucleotides released from the nucleic acid provides the nucleic acid sequence. Other embodiments of the invention concern app. for nucleic acid sequencing.

L8 ANSWER 10 OF 36 CAPLUS COPYRIGHT 2006 ACS on STN
AB The disclosed methods, app. and compns. are of use for nucleic acid sequencing. More particularly, the methods and app. concern sequencing single mols. of single stranded DNA or RNA by exposing the mol. to ***exonuclease*** activity, ***removing*** free nucleotides one at a time from one end of the nucleic acid, and identifying the released nucleotides by Raman spectroscopy or FRET.

L8 ANSWER 11 OF 36 CAPLUS COPYRIGHT 2006 ACS on STN
AB The accurate detection of DNA sequences is essential for a variety of post human genome projects including detection of specific gene variants for medical diagnostics and pharmacogenomics. A specific DNA ***sequence*** detection assay based on surface-enhanced resonance ***Raman*** scattering (SERRS) and an amplification refractory mutation system (ARMS) is reported. Initially, generation of PCR products was achieved by using specifically designed allele-specific SERRS active primers. Detection by SERRS of the PCR products confirmed the presence of the sequence tested for by the allele-specific oligonucleotides. This lead directly to the multiplex genotyping of human DNA samples for the .DELTA.F508 mutational status of the cystic fibrosis transmembrane conductance regulator gene using SERRS active primers in an ARMS assay. ***Removal*** of the unincorporated primers allowed fast and accurate anal. of the three genotypes possible in this system in a multiplex format without any sepn. of amplicons. The results indicate that SERRS can be used in modern genetic anal. and offers an opportunity for the development of novel assays. This is the first demonstration of the use of SERRS in multiplex genotyping and shows potential advantages over fluorescence as a detection technique with considerable promise for future development.

L8 ANSWER 12 OF 36 CAPLUS COPYRIGHT 2006 ACS on STN
AB The accurate detection of DNA sequences is essential for a variety of post human genome projects including detection of specific gene variants for medical diagnostics and pharmacogenomics. A DNA ***sequence*** detection system based on surface enhanced resonance ***Raman*** scattering (SERRS) using specifically designed primer ***sequences*** , that had been chem. modified to make them SERRS active in an ARMS assay, is reported. This lead directly to the multiplex genotyping of human DNA samples for the DF508 mutational status of the cystic fibrosis transmembrane conductance regulator gene using SERRS. ***Removal*** of the unincorporated primers allowed fast and accurate anal. of the three genotypes possible in a multiplex format without any sepn. of amplicons. This is the first demonstration of the use of SERRS in multiplex genotyping and shows potential advantages over fluorescence as a nucleic acid detection technique with considerable promise for future development by applying chem. manipulation to a phys. technique.

=> d his

(FILE 'HOME' ENTERED AT 12:16:06 ON 15 FEB 2006)

INDEX '1MOBILITY, 2MOBILITY, ABI-INFORM, ADISCTI, AEROSPACE, AGRICOLA, ALUMINIUM, ANABSTR, ANTE, APOLLIT, AQUALINE, AQUASCI, AQUIRE, BABS, BIBLIODATA, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, BLLDB, CABA, CAOLD, CAPLUS, CASREACT, CBNB, CEABA-VTB, ...' ENTERED AT 12:16:24 ON 15 FEB 2006
        SEA ((RAMAN) (8A) ((SEQUENC?) (8A) ("NUCLEIC ACID" DNA RNA POLY

FILE 'MEDLINE, CAPLUS, BIOSIS' ENTERED AT 12:31:21 ON 15 FEB 2006
L1   0 S RAMAN (8A) (SEQUENC? (8A) (DNA RNA GENOM? "NUCLEIC ACID" POLY
L2   279 S RAMAN (8A) SEQUENC?

```
L3          0 L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUCLE
L4          0 L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUCLE
L5          0 S L2 AND (DNA RNA GENOM? "NUCLEIC ACID" POLYNUCLEOTIDE OLIGONUC
L6          6 S L2 AND (EXONUCLEASE)
L7          0 S L2 AND (EXONUCLEASE DIGEST? DEGRAD? REMOV? CUT? CLEAV? NUCLEA
L8         36 S L2 AND (EXONUCLEASE OR DIGEST? OR DEGRAD? OR  REMOV? OR  CUT?
L***       12 S L2 AND (DNA OR  RNA OR  GENOM? OR  "NUCLEIC ACID" OR  POLYNUC
L***        7 S L2 (8A) (DNA OR  RNA OR  GENOM? OR  "NUCLEIC ACID" OR  POLYNU
L***        8 S L2 (5A) (DNA OR "NUCLEIC ACID" OR ?NUCLEOTIDE?)

=> logoff
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y
COST IN U.S. DOLLARS                          SINCE FILE      TOTAL
                                                 ENTRY       SESSION
FULL ESTIMATED COST                             130.25       139.00

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)    SINCE FILE      TOTAL
                                                 ENTRY       SESSION
CA SUBSCRIBER PRICE                              -3.75        -3.75

STN INTERNATIONAL LOGOFF AT 12:45:14 ON 15 FEB 2006
```